


LUNAIREI (PENDANT)



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The LUNAIRE Pendant is a sophisticated lighting solution that seamlessly blends modern design with warm ambiance. Crafted with a textured stone plate and a sleek black aluminum frame, it creates a refined aesthetic that enhances both residential and commercial interiors. The luminaire features LED technology, operating at 110-277V, and offers CCT options of 3000K (warm light) and 3500K (gold light). It comes in multiple sizes, making it adaptable for diverse spaces. With dimming options, including 0-10V, DALI, Lutron, Casambi, and non-dimmable configurations, LUNAIRE provides customizable illumination. The pendant is IP20-rated and designed for long-lasting durability and high performance, making it an ideal choice for contemporary interiors.

MATERIAL:

Translucent Stone Flake

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

APPLIANCE CLASS:

|



CRI

90

FINISH OPTION (METAL PART):

Black

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS





Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

Example:
CODE: LL-LUN-CMP-S23-30K-DIM-MT-616Y

LL-LUN-CMP-S23
-30K-DIM-MT-616Y

1 MODELS:

-S23

DIMENSIONS:

- A) Diameter - Ø: 9.2" (23.6 cm)
B) Height - H: 0.9" (2.5 cm)
C) Canopy - Ø: 5.5" (13.97 cm) x H: 5.5" (13.97 cm)

LIGHT SOURCE: LED / 15W / 110-277V

-S30

DIMENSIONS:

- A) Diameter - Ø: 11.8" (30 cm)
B) Height - H: 0.9" (2.5 cm)
C) Canopy - Ø: 5.5" (13.97 cm) x H: 5.5" (13.97 cm)

LIGHT SOURCE: LED / 20W / 110-277V

-S40

- A) Diameter - Ø: 15.7" (40 cm)
B) Height - H: 0.9" (2.5 cm)
C) Canopy - Ø: 5.5" (13.97 cm) x H: 5.5" (13.97 cm)

LIGHT SOURCE: LED / 30W / 110-277V

-S60

DIMENSIONS:

- A) Diameter - Ø: 23.6" (60 cm)
B) Height - H: 0.9" (2.5 cm)
C) Canopy - Ø: 5.5" (13.97 cm) x H: 5.5" (13.97 cm)

LIGHT SOURCE: LED / 40W / 110-277V

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE




sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

Example:
CODE: LL-LUN-CMP-S23-30K-DIM-MT-616Y

LL-LUN-CMP-S23
-30K-DIM-MT-616Y

2

CCT:

-30K 3000K (warm light)
-65K 6500K (cold light)

3

DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 1-10V
-CAS Casambi
-LUT Lutron
-DAL Dali

4

FINISH OPTIONS:

-MT-601B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-606R	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-607Y	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-609B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-604B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-608B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-610B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-613B	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-616Y	(OFF)		(ON-Cold Light)		(ON-Warm Light)	
-MT-614R	(OFF)		(ON-Cold Light)		(ON-Warm Light)	

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646