






This sculptural chandelier combines slender brass rods with softly illuminated opal tubes in a dynamic starburst composition.

Its warm, multidirectional glow and striking geometric form make it an elegant statement piece for restaurants, bars, dining areas, and luxury hospitality interiors.



PROJECT		MATERIAL: METAL CLEAR ACRYLIC
SPEC TYPE		VOLTAGE: 110-277V LIGHTING: LED IP RATING: 20 APPLIANCE CLASS: II
NOTES		FEATURES Driver concealed within the canopy Clear seeded acrylic Slope ceiling adaptable. Hang straight swivels up to 90 degrees



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL


DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646



HOW TO ORDER:

Example:
CODE: LL-SNR-GL-SM-32W-ELV-BRZ

LL-SNR-GL-
SM-32W-ELV-BRZ

1 DIMENSIONS:

-SM

Width - W: 28" (71.1 cm)
Height - H: 31" (78.74 cm)

-BG

Width - W: 48" (121.9 cm)
Height - H: 41.81" (106.2 cm)

2 LIGHT SOURCE:

-32W LED / 110-277 VAC 50/60Hz / 32.8W / 1198 LUMENS / 3000K / CRI 90

-16W LED / 110-277 VAC 50/60Hz / 16W / 552 LUMENS / 3000K / CRI 90

3 DIMMING INTERFACE:

-DIM DIMMABLE 0-10V
-TR PHASE DIMMING
-ELV PHASE DIMMING

4 FINISH OPTIONS:

-BRZ Bronze
-BRS Brass
-NKL Nickel
-BL Black
-WH White


SPEC TYPE

NOTES



LED

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646