

HALO (CHANDALIER)





WHAT LOLA WANTS, LOLA GETS

PROJECT

SPEC TYPE

NOTES



CODE:
LL-HLC-AL

GENERAL INFORMATION:

The HALO Pendant by United Alabaster is a minimalist lighting fixture crafted from translucent alabaster, designed to showcase the unique veining and texture of each piece. Suspended by height-adjustable steel cables that discreetly integrate the electrical wiring, the pendant offers a clean and elegant appearance. It features integrated LED lighting with power options of 25W or 35W, delivering a 2700K / 3000K glow, and is dimmable to suit various ambiance preferences. Available in diameters of Ø: 19.29" (49 cm), 25.20" (64 cm), 29.92" (76 cm), 39.37" (100 cm), 47.24" (120 cm) the HALO Pendant can be used individually or combined in multiples to create striking decorative arrangements.

MATERIAL:

Alabaster (White Gelsa)

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

APPLIANCE CLASS:

I



WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646




WHAT LOLA WANTS, LOLA GETS

CODE:
LL-HLC-AL

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE:
LL-HLC-AL-S49-S100-25W-27K-MB-DIM

LL-HLC-AL
-S49-S100-25W
-27K-MB-DIM

1

1ST RING DIAMETER:

-S49 Ø: 19.29" (49 cm)
-S64 Ø: 25.20" (64 cm)
-S76 Ø: 29.92" (76 cm)
-S100 Ø: 39.37" (100 cm)
-S120 Ø: 47.24" (120 cm)

2

2ND RING DIAMETER:

-S49 Ø: 19.29" (49 cm)
-S64 Ø: 25.20" (64 cm)
-S76 Ø: 29.92" (76 cm)
-S100 Ø: 39.37" (100 cm)
-S120 Ø: 47.24" (120 cm)

3

LIGHT SOURCE:

-25W LED / 25W / 110-277V
-30W LED / 30W / 110-277V

4

CCT:

-27K 2700K
-30K 3000K

5

FINISH OPTIONS (CEILING BASE):

-MB Matt Black ☒
-MW Matt White ☐

6

DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 1-10V
-CAS Casambi
-LUT Lutron
-DAL Dali

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646