

MIDA (CEILING / WALL)



PROJECT

SPEC TYPE

NOTES



E12

E26



IP20



GENERAL INFORMATION:

The MIDA Ceiling/Wall lamp by Lola Lighting, is a luxurious, sculptural fixture inspired by 1950s jewelry, featuring gem-like elements crafted from exclusive Lentiflex® and Opalflex® materials. MIDA combines artistic elegance with functionality, offering soft, diffused lighting through a seamless magnetic mounting system. It supports up to E12, E26 bulbs and is available in multiple hand-painted finishes that evoke the look of precious stones. Suitable for both ceiling and wall installation, MIDA is ideal for adding a sophisticated statement to residential or commercial interiors.

MATERIAL:

Lentiflex®, Opalflex®, Lentiflex® with cold foil

VOLTAGE:

110-120V / 110-277V



LIGHTING:

E12 / E26

E12

E26

IP RATING:

20

IP20

APPLIANCE CLASS:

I



WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES


HOW TO ORDER:

Example:
CODE: LL-MD-CMP-S-WG

LL-MD-CMP
-S-WG

1

MODELS:




-S

A) Diameter - Ø: 19.69" (50 cm)
B) Width - W: 6.30" (16 cm)

LIGHT SOURCE:

3 X 12W / E26 / 110-277V



-M

A) Diameter - Ø: 19.69" (50 cm)
B) Width - W: 6.30" (16 cm)

LIGHT SOURCE:

4 X 12W / E26 / 110-277V

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: LL-MD-CMP-S-WG

LL-MD-CMP
-S-WG

1

MODELS:

-AP

A) Length - L: 12.60" (32 cm)
B) Width - W: 12.60" (32 cm)
C) Height - H: 4.72" (12 cm)


LIGHT SOURCE:

2 X 6W / E12 / 110-120V

2

FINISH OPTIONS:

-WG  White / Gold
-WP  White / Platinum
-M  Multicolor
-A  Amber
-R  Rose



E12

E26



IP20



WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646