

CHARLOTTE GLOBE S (SUSPENSION)





WHAT LOLA WANTS, LOLA GETS

PROJECT

SPEC TYPE

NOTES



E26



IP20



GENERAL INFORMATION:

The Charlotte Globe Suspension Light by Lola Lighting is a beautifully designed lighting fixture that combines intricate craftsmanship with modern materials. Made from Cristalflex® / Lentiflex®, the light features a delicate, spherical shape with an elegant mesh pattern, offering a soft and inviting glow. It has a diameter of 23.62" (60 cm) and a height of 19.69" (50 cm), with an adjustable cable length of up to 55.12". The fixture uses E26 bulbs (4 x max 12W) and operates on 110–277V, with an IP20 rating, making it suitable for indoor use. Finished in classic White, this suspension light is perfect for adding a touch of sophistication and modern style to any space.

MATERIAL:

Cristalflex® / Lentiflex®

VOLTAGE:

110-277V



LIGHTING:

E26

E26

IP RATING:

20

IP20

APPLIANCE CLASS:

I



FINISH OPTION:

White



WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 04/25/2025



WHAT LOLA WANTS, LOLA GETS

CODE:
LL-CHRSM-SLMP

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: LL-CHRSM-SLMP

LL-CHRSM-SLMP

1

DIMENSIONS:

- A) Diameter - Ø: 23.62" (60 cm)
B) Height - H: 19.69" (50 cm)
C) Cable Length - L: min. 7.87" (20cm) - max. 55.12" (140cm)
D) Canopy - Ø: 5.50" (14 cm)

2


LIGHT SOURCE:

E26 / 4 x max. 12W | 110-277V

3

FINISH OPTION:

White ☐



E26



IP20



WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 04/25/2025