

EOS (SUSPENDED)



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Eos chandelier by Lola Lighting is an elegant lighting fixture that combines geometric precision with artisanal craftsmanship. Featuring a supple metal arch adorned with hand-detailed decorations, it gracefully transitions into a blown glass diffuser. The diffuser is uniquely finished with a “regolith” texture, inspired by ancient Japanese raku ceramics, creating delicate coffee-and-milk-colored burns and small bubbles for a one-of-a-kind appearance. Designed to accommodate LED light sources, the Eos chandelier offers ambient illumination, making it an ideal choice for enhancing the sophistication of various interior settings.

MATERIAL:

Blown glass

VOLTAGE:

110-120V



LIGHTING:

E12

E12

IP RATING:

20

IP20

APPLIANCE CLASS:

II



WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES


HOW TO ORDER:

Example:
CODE: LL-EOS-GL-1-6W-V2913


LL-EOS-GL-1
-6W-V2913

1


MODELS:



-1



-1-10



-1-20

-1

A) Height - H: 13.78" (35 cm)
B) Diameter - Ø: 6.30" (16 cm)

-1-10

A) Height - H: 16.93" (43 cm)
B) Diameter - Ø: 6.30" (16 cm)

-1-20

A) Height - H: 20.47" (52 cm)
B) Diameter - Ø: 6.30" (16 cm)

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

CODE:
LL-EOS-GL

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: LL-EOS-GL

LL-EOS-GL

2

LIGHT SOURCE:

1 x max 6W / E12 / 110-120V

3

FINISH OPTION: (FRAME)

Black 



WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646