


LA TRAVIATA (SUSPENSION)



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The La Traviata Suspension fixture is a striking contemporary lighting element designed to serve as both functional illumination and a sculptural centerpiece. Constructed from precision-formed Lentiflex® and methacrylate, this design showcases a dynamic composition of crystalline prisms that refract light in dazzling ways. With integrated LED technology, high CRI (90), and a Prisma finish, this piece offers both visual brilliance and energy efficiency. Ideal for commercial, hospitality, or high-end residential interiors, La Traviata brings modern elegance with a touch of avant-garde art.

MATERIAL:

Lentiflex®, Methacrylate

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

APPLIANCE CLASS:

I



FINISHING:

Prisma



CRI:

90

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646


PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:

Example:
CODE: LL-LTRVT-CMP-180-DIM

LL-LTRVT
-CMP-180-DIM

1 MODELS:



-180

DIMENSIONS:

- A) Length - L: 70.87" (180 cm)
 B) Width - W: 25.98" (66 cm)
 C) Height - H: 35.43" (90 cm)
 D) Cable length - L: min. 7.9" (20 cm) max. 236" (600 cm)
 E) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 70,8W / 110-277V / 6150 lm / 3000K

-220

DIMENSIONS:

- A) Length - L: 86.61" (220 cm)
 B) Width - W: 34.64" (88 cm)
 C) Height - H: 44.09" (112 cm)
 D) Cable length - L: min. 7.9" (20 cm) max. 236" (600 cm)
 E) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 86,4W / 110-277V / 7500 lm / 3000K

PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:


Example:
CODE: LL-LTRVT-CMP-180-DIM

LL-LTRVT
-CMP-180-DIM

2

DIMMING OPTIONS:

- DIM 0-10V
- NON Non - Dimmable
- CAS Casambi
- LUT Lutron
- DL Dali



WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646