

LUMISTONE PENDANT (SUSPENDED)



LUMISTONE Pendant Light combines a soft sculptural silhouette with a refined minimalist aesthetic. Its asymmetric dome creates an organic, architectural form, while the recessed light source produces a warm downward glow and emphasizes the smooth texture of the shade.

Crafted from epoxy resin composite, the fixture works beautifully as a single statement pendant or as a composition of different sizes. Its understated design makes it suitable for residential, hospitality, restaurant, and contemporary commercial interiors.

110-
277V

E26

IP20



PROJECT		MATERIAL: EPOXY RESIN COMPOSITE
SPEC TYPE		VOLTAGE: 110-277V LIGHTING: E26 IP RATING: 20
NOTES	 	APPLIANCE CLASS:

110-
277V

E26

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646



CODE:
LL-8621-SN

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: LL-8621-SN-480

1

MODELS:

-480

A) Length - L: 18.90" (48 cm)
B) Width - W: 14.96" (38 cm)
C) Height - H: 15.75" (40 cm)

-700

A) Length - L: 27.56" (70 cm)
B) Width - W: 20.47" (52 cm)
C) Height - H: 18.90" (48 cm)

-900

A) Length - L: 35.43" (90 cm)
B) Width - W: 25.59" (65 cm)
C) Height - H: 22.83" (58 cm)

2

LIGHT SOURCE:

E26 / 110-277V

110-277V

E26

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

Updated 08/27/2026