







The AXIS SILK Pendant arranges softly illuminated silk forms along a clean linear structure. Available in vertical and horizontal configurations, it can highlight ceiling height or extend gracefully across a table or counter. Natural mulberry silk diffuses the integrated LED light and gives each shade a subtle handcrafted texture. The adaptable design is ideal for dining rooms, conference areas, stairwells, lobbies, and modern hospitality interiors.



PROJECT		MATERIAL: ACRYLIC+ NATURAL MULBERRY SILK
SPEC TYPE		VOLTAGE: 110-277V
NOTES		LIGHTING: LED
		IP RATING: 20
		APPLIANCE CLASS:



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL




DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:
CODE: LL-9212-SN-2

1

MODELS:

-2

Diameter - L: 4.7" (12 cm)
Height - H: 19.2" (49 cm)

LIGHT SOURCE:

LED / 10W / 110-277V / 3000K

-3

Length - L: 27.9" (71 cm)
Width - W: 4.7" (12 cm)
Height - H: 4.7" (12 cm)

LIGHT SOURCE:

LED / 15W / 110-277V / 3000K

-5

Length - L: 45.2" (115 cm)
Width - W: 4.7" (12 cm)
Height - H: 4.7" (12 cm)

LIGHT SOURCE:

LED / 30W / 110-277V / 3000K



LED

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

Updated 08/27/2026