

LA LOLLO (SUSPENSION)



PROJECT
SPEC TYPE
NOTES



GENERAL INFORMATION:

The La Lollo Suspension light is a sophisticated and modern chandelier inspired by vintage glamour and contemporary aesthetics. Made from premium materials including Lentiflex®, cold foil finishes, and Opalflex®, this fixture features elegant cylindrical modules arranged in harmonious layers. With multiple finish options like Gold, Pewter, White, and Gradient tones, La Lollo offers versatility to complement upscale interiors. Ideal for living spaces, hospitality, or commercial applications, this LED-powered fixture delivers a refined ambiance with a high visual impact and enduring elegance.

MATERIAL:

Lentiflex® / Lentiflex® with cold foil / Opalflex®

VOLTAGE:

110-277V



LIGHTING:

LED



IP RATING:

20



APPLIANCE CLASS:

I



FINISH OPTION:

- Gold 
- Gradient 
- Pewter 
- White 



WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

- OUTDOOR
- TECHNICAL
- DECORATIVE



sales@gordonbullard.com
www.lolalighting.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES


HOW TO ORDER:

Example:
CODE: LL-LALLS-CMP-M-GL

LL-LALLS
-CMP-M-GL

1

MODELS:




-M

DIMENSIONS:

- A) Diameter - Ø: 18.90" (48 cm)
- B) Height - H: 13.78" (35 cm)
- C) Cable length - L: min. 7.9" (20 cm) - max. 55" (140 cm)
- D) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 40W / 110-277V / 4600 Lm / 2700K / CRI >90



-L

DIMENSIONS:

- A) Diameter - Ø: 31.50" (80 cm)
- B) Height - H: 13.78" (35 cm)
- C) Cable length - L: min. 7.9" (20 cm) - max. 55" (140 cm)
- D) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 80W / 110-277V / 9000 Lm / 2700K / CRI >90

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES


HOW TO ORDER:

Example:
CODE: LL-LALLS-CMP-M-GL-DIM

LL-LALLS
-CMP-M-GL-DIM

1

MODELS:




-XL

DIMENSIONS:

- A) Diameter - Ø: 31.50" (80 cm)
- B) Height - H: 32.68" (83 cm)
- C) Cable length - L: min. 11.8" (30 cm) - max. 55" (140 cm)
- D) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 130W / 110-277V / 15000 Lm / 2700K / CRI >90



-LR

DIMENSIONS:

- A) Length - L: 36.61" (93 cm)
- B) Width - W: 11" (28 cm)
- C) Height - H: 11" (28 cm)
- D) Cable length - L: min. 11.8" (30 cm) - max. 55" (140 cm)
- E) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 70W / 110-277V / 7820 Lm / 2700K / CRI >90

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE




sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

Example:
CODE: LL-LALLS-CMP-M-GL-DIM

LL-LALLS
-CMP-M-GL-DIM

1 MODELS:

-XR

DIMENSIONS:

- A) Length - L: 55.9" (142 cm)
 B) Width - W: 11" (28 cm)
 C) Height - H: 11" (28 cm)
 D) Cable length - L: min. 11.8" (30 cm) - max. 55" (140 cm)
 E) Canopy - Ø: 5.51" (14 cm)

LIGHT SOURCE:

LED / 110W / 110-277 / 12420 Lm / 2700K / CRI >90

2 FINISH OPTIONS:

- GL Gold
 -GD Gradient
 -PWT Pewter
 -WH White

3 DIMMING OPTIONS:

- DIM 0-10V
 -NON Non - Dimmable
 -CAS Casambi
 -LUT Lutron
 -DL Dali