




A sculptural suspended lighting collection combining PMMA with natural mulberry silk. The clean circular forms are softened by the delicate texture of silk, creating a warm, diffused glow and a refined architectural presence.

Luma Loop can be configured as a single ring, an intertwined composition, or a multi-ring installation at different heights. Its versatile modular design makes it ideal for residential interiors, dining areas, stairwells, hotel lobbies, lounges, and contemporary commercial spaces.



PROJECT		MATERIAL: PMMA-SHADE+NATURAL MULBERRY SILK
SPEC TYPE		VOLTAGE: 110-277V LIGHTING: LED
NOTES	 	IP RATING: 20 APPLIANCE CLASS: I

110-
277V

LED

IP20



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL




DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

-600	
-800-460	
-1000	
PROJECT	
SPEC TYPE	
NOTES	

HOW TO ORDER:

Example:
CODE: LL-9407-SN-600

1

DIMENSIONS:

-600

- A) Diameter - Ø: 23.62" (60 cm)
B) Height - H: 3.15" (8 cm)

-800-460

- A) Diameter - Ø: 31.50" (80 cm)
B) Height - H: 11.02" (28 cm)

-1000

- A) Length - L: 62.20" (158 cm)
B) Width - W: 45.28" (115 cm)
C) Height - H: 18.90" (48 cm)

2

LIGHT SOURCE:

LED / 110-277V / 3000K



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646