

LOOP PENDANT (vertical)

BEAM LEFT & RIGHT

0



**CODE:
2134**

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Crafted from premium materials, Loop ensures constant radiance, whether it's on or off.

Its circular light rings emit a harmonious warm white LED glow both upwards and downwards, evenly dispersing light throughout the room via the opal-colored diffuser. Powered by cutting-edge LED technology, the Loop is exceptionally energy-efficient.

Plus, its decentralized canopy offers design flexibility, allowing you to arrange the rings as you wish, either alongside or within each other.

CATEGORY:

Indoor, pendant

MATERIAL:

Metal

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

APPLIANCE CLASS:

I



CRI:

80

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:


Example:
CODE: 2134-S75-2-DIM-27K-19-14

2134-S75-2-
DIM-27K-19-14

1

MODELS:

-S50-2




-S50-2

A) Diameter - Ø: 19.69" (50 cm)
B) SP - SP: 1.57" (4 cm)

LIGHT SOURCE:

LED / 64W / 3800 lm

-S60-2



-S60-2

A) Diameter - Ø: 23.62" (60 cm)
B) SP - SP: 1.57" (4 cm)

LIGHT SOURCE:

LED / 76W / 4600 lm

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:


Example:
CODE: 2134-S75-2-DIM-27K-19-14

2134-S75-2-
DIM-27K-19-14

1

MODELS:

-S75-2




-S75-2

A) Diameter - Ø: 29.52" (75 cm)
B) SP - SP: 1.57" (4 cm)

LIGHT SOURCE:

LED / 90W / 5900 lm

-S90-2



-S90-2

A) Diameter - Ø: 35.43" (90 cm)
B) SP - H: 1.57" (4 cm)

LIGHT SOURCE:

LED / 120W / 7200 lm

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



www.lolalighting.com

1 877-964-4646

**CODE:
2134**

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

Example:
CODE: 2134-S75-2-DIM-27K-19-14

2134-S75-2-
DIM-27K-19-14

2 DIMMING OPTIONS:

-DIM 0-10V
-NON Non Dimmable
-CAS Casambi
-LUT Lutron

3 CCT:

-27K 2700 K
-30K 3000 K
-40K 4000 K

4 FINISH OPTIONS:

-10  White	-24  Iron
-13  Silver Leaf	-28  Gold
-14  Gold Leaf	-29  Brushed Alum
-15  Grey	-30  Gunmetal
-19  Black	-31  Brushed Rosé
-21  Dove grey	-32  Brush. Bronze
-22  Copper leaf	-33  Brush. Gold
-23  Rust	-34  Painted Rosé
	-35  Bronze Painted

TWO-TONE:

-19-14  Black / Gold Leaf
-24-13  Iron / Silver Leaf
-10-22  White / Copper leaf

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



www.lolalighting.com

1 877-964-4646