

# STRUNG OUT W (WALL)





PROJECT

SPEC TYPE

NOTES



#### GENERAL INFORMATION:

The STRUNG OUT (WALL) fixture by Lola Lighting combines handcrafted artistry with vibrant, multicolor design to create a striking focal point for any interior space. Featuring a woven texture in natural tones of green, orange, cream, and brown, this ceiling light delivers a warm, ambient glow while celebrating traditional craftsmanship. Designed for indoor use, it's available in multiple sizes and includes a seamlessly integrated accessory that attaches effortlessly via a magnetic ring—allowing for quick, tool-free installation and removal.

#### MATERIAL:

Fabric

#### VOLTAGE:

110-277V



#### LIGHTING:

E26 / max. 60W

**E26**

#### IP RATING:

20

**IP20**

#### APPLIANCE CLASS:

I



#### FINISHING:

Multicolor

WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:  
CODE: LL-STRW-FBC-S

LL-STRW-FBC-S

1

MODELS:

**-S**

A) Diameter - Ø: 14.6" (37 cm)

B) Height - H: 8.27" (21 cm)

C) Canopy - Ø: 5.5" (14 cm)

**LIGHT SOURCE:**

E26 / max. 60W / 110-277V

**-M**


A) Diameter - Ø: 23.6" (60 cm)

B) Height - H: 8.27" (21 cm)

C) Canopy - Ø: 5.5" (14 cm)

**LIGHT SOURCE:**

E26 / max. 60W / 110-277V



WWW.LOLALIGHTING.COM

OUTDOOR

TECHNICAL

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS



Contact Us:

sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES


HOW TO ORDER:

Example:  
CODE: LL-STRW-FBC-S

LL-STRW-FBC-S

1

MODELS:



**-L**

A) Diameter - Ø: 31.5" (80 cm)

B) Height - H: 8.27" (21 cm)


C) Canopy - Ø: 5.5" (14 cm)

**LIGHT SOURCE:**

E26 / max. 60W / 110-277V

2

ACCESSORIES: (included)



**DIMENSIONS:**

Upper Diameter -  
Ø: 5.5" (46 cm)

Lower Diameter -  
Ø: 4.5" (11.4 cm)

Height -  
H: 5.43" (13.8 cm)

This accessory is designed for effortless handling – it easily attaches and detaches using a built-in magnetic ring, allowing for quick installation and removal without the need for tools.

WWW.LOLALIGHTING.COM

WE WELCOME ALL CUSTOM ORDERS

Contact Us:

OUTDOOR

TECHNICAL

DECORATIVE



sales@gordonbullard.com

www.lolalighting.com

1 877-964-4646